

/dennis myint/

Dennis Myint

09-17-2008

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	1	L17 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:08
L17	1019	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:08
L16	1	L15 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:08
L15	1019	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:08
L14	1	L5 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:08
L13	1	L12 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L12	763	L11 and (convert or conversion or convert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L11	1054	L10 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L10	15248	L9 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L9	51902	mobile adj device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07

L8	1	L7 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L7	170	leamon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L6	1	L5 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L5	1019	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:07
L4	1	10/622035 and (usable or readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:05
L3	0	10/622035 and (usable near2 machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:04
L2	0	10/622035 and (usable near2 (medium or media ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 12:02
L1	1	10/622035 and (file near2 path\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 11:41
S174	2	"20050015406" and (readable or medium or (usable near5 (medium or media ) ) or media or wave\$1 or signal\$1 or communication\$1 or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:41
S173	2	"20050015406" and (readable or medium or media or wave \$1 or signal\$1 or communication\$1 or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:36

S172	10	S170 and (device? with markup\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:07
S171	41	S170 and (device and markup \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:06
S170	179	S167 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:06
S169	58	S168 and (device and markup \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:05
S168	413	S167 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:05
S167	881	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 16:05
S166	1	"20050015406" and front	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 15:32
S165	2	"20040030795"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:54
S164	2	"20040199516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:56
S163	0	S161 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:56
S162	0	S160 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37

S161	110	((device\$1 near5 language) near (format\$3 or transform \$3 or chang\$3 or encod\$3) ) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S160	92	((device\$1 near5 language) near (format\$3 or transform \$3 or chang\$3 or encod\$3) ) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S159	2	S157 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S158	2	S156 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S138	0	S136 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S105	273	((device\$1 near5 language) near (format\$3 or transform \$3 or chang\$3 or encod\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:37
S157	4513	(device\$1 near5 language) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S156	2817	(device\$1 near5 language) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S155	6	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S154	23	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S103	10228	(device\$1 near5 language) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36

S100	40	(aggregat\$4 near4 (mark?up or mark-up or markup)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:36
S153	1	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @prad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S152	1	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @rlad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S151	0	S149 and @prad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S150	8	S149 and @rlad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S149	27	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S92	4	((markup or mark?up) near5 dynamically near5 (runtime or run?time)) and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S82	6	S81 and @ad<"20030301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:35
S148	0	S146 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S147	0	S145 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S146	245	S144 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34

S145	179	S144 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S144	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S143	0	S141 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S142	0	S140 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S89	388	S88 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:34
S141	245	S139 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S140	179	S139 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S139	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S137	0	S135 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S136	245	S134 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S135	179	S134 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33

S134	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S133	5	S131 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S76	383	S75 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S70	383	S66 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:33
S132	13	S130 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S131	8191	S129 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S130	6285	S129 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S129	41975	mobile adj device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S128	3333	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S41	13094	S40 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:32
S127	0	S125 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31

S126	0	S124 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S125	245	S123 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S124	179	S123 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:31
S123	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S122	0	S120 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S121	8	S120 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S120	40	S119 and "709"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S119	843	iyengar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S118	0	S116 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S117	0	S115 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S29	375	S28 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30



S25	32	S24 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:30
S116	245	S114 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S115	179	S114 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S114	875	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S113	0	S111 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S112	8	S111 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S10	375	S9 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:29
S111	27	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S110	1699413	L and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S109	584459	L and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S8	9	S6 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28

S7	2497084	L and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:28
S108	1	"20040199516" and aggregat \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:02
S106	2	"20040199516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 11:02
S107	2	"20050015406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/24 10:41
S104	0	((device\$1 near5 language) near into ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 13:40
S93	0	((device near5 (mark?up or markup) near5 language) with generia with (aggregat \$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 13:39
S102	0	S100 and (((device?specific ) or generic) near (markup or mark?up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:06
S101	2	"20040243928" and (device or generic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 10:05
S1	1616172	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 09:46
S99	2	"20020178211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S98	3	"2002017811"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04

S97	278	((mark?up or markup) near5 language\$1) with (aggregat \$3 or combin\$3) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 12:04
S96	0	((device\$8 near5 (mark?up or markup) near5 language) same (generic with (aggregat \$3 or combin\$3)) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:44
S95	0	((device\$8 near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:41
S94	0	((device near5 (mark?up or markup) near5 language) with generic with (aggregat\$3 or combin\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/15 09:41
S91	23	S89 and (runtime or run? time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:20
S90	23	S89 and (runtime or run? time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S88	620	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:14
S87	0	"20020161928" and ( runtime or run?time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S86	2	"20020161928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S85	0	"20020107891" and runtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13
S79	0	"20020107891" and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:13

S84	0	"20020107891" and run	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S83	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 12:12
S81	19	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:45
S80	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
S2	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 11:40
S78	49	S77 and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S77	182	S76 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S75	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S73	55	S70 and ((format or format \$4) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 18:00
S74	1	"20050015406" and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 17:57
S72	182	S70 and (format or format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 14:27

S71	2	S70 and (device-specific or device?specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 14:27
S69	2	"20020107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S68	6	"2002010789"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S67	0	S66 and (device near4 (associated or specific))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:57
S66	582	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:40
S9	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:39
S65	2	"20050015406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:04
S64	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:03
S63	6	"609112".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 11:00
S62	357	S61 and language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12
S61	546	S60 and (path\$1 or channel \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:12

S60	624	S59 and optional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S59	624	S43 and (mobile adj device \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:11
S43	624	S42 and (convert or conversion or convert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:10
S58	5	"989255".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:09
S57	7	"750302".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:09
S56	0	"750302.ap.",	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:08
S55	5	"165887".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:08
S54	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:06
S53	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:06
S52	6	"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S51	0	"013718.ap."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05

S50	0	"013718.ap"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:05
S49	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
S48	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:04
S47	5	"885465".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:03
S46	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:01
S45	6	"929118".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:54
S44	65	S43 and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:53
S42	838	S41 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:46
S40	20909	mobile adj device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S39	15901	mobile adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45
S38	27	S30 and (default and optional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:45

S30	116	S29 and (channel\$1 or paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:43
S37	6	"622035".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
S36	7	"068236".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:08
S35	0	S34 and "0107891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:57
S34	103	leamon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
S33	5	(abstract adj (markup or mark?up)) adj language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:56
S31	17	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:32
S32	5	"165887".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:28
S28	529	(convert\$5 near3 ((mobile or handheld or pda) near2 device \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 13:55
S26	0	S25 and mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33
S24	35	S23 and "709"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:33



S23	646	iyengar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S22	3	"941467".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S21	5	"331619".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:32
S20	4	"965137".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:31
S19	5	"989255".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:30
S18	3	"6560651".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:29
S17	5	"234044".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S16	7	"234044".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S15	6	"013718".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:28
S14	5	"451715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:27
S13	5	"746684".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:27

S12	51	S10 and render\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:27
S11	9	S10 and abstract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:26
S6	17	(abstract near2 (mark?up or markup)) near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 10:23
S5	5	"622047".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
S4	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45
S3	4	"015192".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:45

9/17/2008 12:09:14 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-622-035\_\_1.wsp